



REMACK®

REMANUFACTURED FUEL SUPPLY PUMP ASSEMBLIES



BULLETIN NO. M50-16

INSTRUCTIONS

<u>Part Number</u>	<u>Application</u>
314GC228AX	AMBAC supply pump for APE6G and PLM Model 300 pumps.
319GC110X	AMBAC supply pump for all APE6BB Model pumps.
79-SGE20A6635AX	AMBAC single-acting pump for V-8 Series with supply pump-to-pump housing gasket seal.
79-SGL450269AX	AMBAC single-acting pump for V-8 Series with supply pump-to-pump housing O-ring seal.
314GC227X	Robert Bosch single-acting pump for RS192-Series pumps with hand primer (Reference: 935-O440008015).
314GC227P2X	Robert Bosch double-acting supply pump for P6000-Series pumps and previous excluding 192-Series pumps - with hand primer (Reference: 935-O440008030).
314GC227P3X	Robert Bosch double-acting supply pump for P6000-Series pumps (Reference: 935-9440080011).
314GC227P4X	Robert Bosch double-acting supply pump for P7011-Series pumps (Reference: 935-9440080017).
314GC227P5X	Robert Bosch single-acting pump for P7100, P7200-Series pumps only (Reference: 935-O440008086).
935-O440008007X	Robert Bosch single-acting pump for Mid-Liner® MIDR06.20.30B, MIDS06.20.30K & J Engines with hand primer.
935-O440008093X	Robert Bosch single-acting supply pump for Mid-Liner® MIDR06.20.45K Engines.
935-O440008097X	Robert Bosch double-acting pump for "in-line eight" pumps.
935-O440008104X	Robert Bosch single-acting pump for Mid-Liner® MIDR 06.02.26 Engines
935-O440008120X	Robert Bosch single-acting supply pump for P8500 pumps with hand primer.
935-O440017016X	Robert Bosch single-acting pump for Mid-Liner® MIDR06.02.12A, B, C, & E Engines with hand primer.
935-O440017030X	Robert Bosch single-acting pump for Mid-Liner® MIDR06.02.12L Engines. Also for MIDR06.02.12F Engines when used in conjunction with Pre-Filter 935-1457434000 with hand primer.

NOTE: See Bulletin M50-6 for detailed application cross-reference listing.

Features

Supply pumps are completely disassembled, cleaned and inspected.

All supply pumps are dynamically tested for fuel pickup (suction tested) and high-pressure tested for leakoff to assure proper pressure and sealing capacity.

Mounting gaskets/O-rings are included with all supply pumps. All pumps include new check valves and check valve springs.

New copper compression washers are installed on all supply pumps.

New brass fuel inlet and outlet fittings are installed in all supply pumps except Mid-Liner®.



PRICES OR SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: OCT 2001

PAGE M50-16-1

M50-16.DOC.



MACK REMANUFACTURED FUEL SUPPLY PUMP ASSEMBLIES
INSTRUCTIONS (continued)

BULLETIN M50-16

NOTE: Our remanufactured supply pump and remanufactured tachdrive assemblies Part Number 769GB14AX will replace Viking fuel supply pumps. These pumps are no longer available as the vendor no longer supplies components.

By purchasing both the supply pump and the tachdrive assemblies, you will be able to replace the Viking Pump Assembly for those applications that utilize Viking Pumps.

Ordering Instructions:

Place orders direct with the Distribution Center serving your area.

Core Returns:

Refer to Remack® Component Core Return Policy on page **M50-1-2**.

Cores should be returned to Mack Trucks, Inc., REMACK Center, 2800 Commerce Drive, Middletown, PA 17057. All cores are subject to visual inspection. only. Those cores not damaged from handling or abuse should receive full core credit. Cores must be like-for-like to receive credit.

Approximate Weight :

314GC227X	2.6 lbs.	79-SGE20A6635AX	4.5 lbs.
314GC227P2X	2.6 lbs.	79-SGL450269AX	4.5 lbs.
314GC227P3X	3.1 lbs.	935-O440017030X	1.0 lbs.
314GC227P4X	2.5 lbs.	935-O440008007X	2.6 lbs.
314GC227P5X	1.0 lb.	935-O440017016X	2.6 lbs.
314GC228AX	3.6 lbs.	935-O440008097	2.5 lbs.
319GC110X	2.3 lbs.	935-0440008120X	1.2 lbs.
		935-0440008093X	1.0 lbs.

CORE PART NUMBER GROUPINGS:

CORES WITHIN GROUPS ARE INTERCHANGEABLE

SUPPLY PUMP 002

C319GC110
 C314GC227P2
 C314GC227P5
 C935-O440008007
 C935-O440008093
 C935-O440008097
 C935-O440017016
 C935-O440017030
 C935-O440008120

SUPPLY PUMP 003

C79-SGE20A6635A
 C79-SGL450269A

SUPPLY PUMP 006

C314GC227P3
 C314GC227P4

Stand Alones

C314GC228A
 C314GC227



PRICES OR SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: OCT 2001

PAGE M50-16-2

M50-16.DOC.



MACK REMANUFACTURED FUEL SUPPLY PUMP ASSEMBLIES
INSTRUCTIONS *(continued)*

BULLETIN M50-16

Freight:

Freight on remanufactured supply pumps is prepaid outbound from the REMACK Center only (contiguous USA). Freight from Distribution Centers is subject to their freight policy.

Cores may be returned with other components to meet the 500 lbs. freight collect policy. Cores returned should be sent to the Mack Trucks, Inc., REMACK Center, 2800 Commerce Drive, Middletown, PA 17057.



PRICES OR SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

EFFECTIVE DATE: OCT 2001

PAGE M50-16-3

M50-16.DOC.

